TRACTOR SUNSHADE

2016 CATALOG

TRACTOR SUNSHADE

With decades of history providing shade for every brand of tractor, Tractor Sunshade is the industry leader in fiberglass sun shades. We have the most complete line of products, the highest quality standards, and the farthest reaching distribution network. While our past differentiates us, it is our future that defines us: our facility has been updated to include the latest techniques in fiberglass manufacturing. From Close molded manufacturing, to an in house tooling department that insures the best quality every time.

No one matches our production capacity, customer service guarantee, or our diversity of applications.

From our team to yours - Thank you for letting us provide you with shade.

STANDARD AVAILABLE COLORS*:

CR	R	K	G	B	W	BLK

** Custom Colors Available Upon Request*

P3: NX- Zero-Turn & Commercial Mowers **P4:** N1- Compact Utility Tractors **P5:** N2- Utility Tractors

CONTRUCTION

1. Hi-gloss, color matched gel coat with UV inhibitors
2. Quality chop and hand laid fiberglass for structural integrity
3. Blacked-out underside
4. Rubber isolation with sound dampening
5. Heavy gauge steel bracketry finished in hardened powdercoat
6. Front amber, and rear red reflectors standard

ADJUSTABILITY

Customize your fit: Hardware allows for change in pitch by 15 degrees (P), vertical height by up to 6" (V), and 4" or horizontal adjustment (H).



ASSEMBLY

A few basic tools are all that are required for you to easily mount our canopy by yourself or in the field- in minutes!

Front & rear reflectors standard

Rubber isolated pads float the canopy in rubber to eliminate vibration noise

Heavy duty, powder-coated steel mounting brackets

///// SUNSHADE: NX

Zero-Turn & Commercial Mowers

SUNSHADE DIMENSIONS	WEIGHT	EFFECTIVE COVERAGE	ROPS APPLICATION
45” W x 46” L	20 LBS	18 SF	Fits ROPS 30” - 40” Width

APPLICATION GUIDE	BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
	JOHN DEERE	1600 Turbo Diesel	FAS-NXG	FAH-N32S
	JOHN DEERE	**ZTRAK 700 SERIES:** Z710A / Z720A , **ZTRAK PRO 900 SERIES:** Z925A PRO, *2500B / 2635B	FAS-NXG	FAH-Z22S
	JOHN DEERE	7200 Precision cut, *7400 Terain Cut, *1600T WAM, *8000E, 8400	FAS-NXG	FAH-Z32S
	JOHN DEERE	**ZTRAK 900:** B Series / M Series / R Series / Z997R Diesel	FAS-NXG	FAH-Z900
	JOHN DEERE	997 Diesel, *1420 / 1432 / 1435 / 1445 / 1565	FAS-NXG	FAH-N22S
	KUBOTA	**Z100 SERIES:** Z122R / Z121S / Z122E / Z125E / Z125S, **Z700 SERIES:** Z723KH / Z724KH / Z725KH / Z724X / Z726X	FAS-NXK	FAH-N22S
	KUBOTA	**F90 SERIES:** F2690E / F2690 / F3990, **Z200 SERIES:** ZG222 / ZG227 / ZD221, **Z300 SERIES:** ZG327 / ZG332 / ZD323 / ZD326 / ZD326H / ZD331 / ZP330, **ZD1000 SERIES:** ZD1011 / ZD1021, **ZD1200 SERIES:** ZD1211	FAS-NXK	FAH-N32S

SUNSHADE: N1

Compact Utility Tractors

SUNSHADE DIMENSIONS	WEIGHT	EFFECTIVE COVERAGE	ROPS APPLICATION
45” W x 58” L	25 LBS	24 SF	Fits ROPS 30” - 40” Width

APPLICATION GUIDE

BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
CASE IH	**FARMALL:** 31, *DX21 - DX34	FAS-N1CR*	FAH-N22
CASE IH	**FARMALL:** 35 / 40 / 45 / 50 / 55, **FARMALL:** 30B / 35B / 40B / 50B, **FARMALL:** 30C / 35C / 40C / 50C, *DX35 - DX55	FAS-N1CR*	FAH-N32
JOHN DEERE	**1 FAMILY:** 1023E / 1025R / 1026R, *2210 / 2305, *1400 / 1500 SERIES MOWERS	FAS-N1G	FAH-N22
JOHN DEERE	**2 FAMILY:** 2025R / 2032R, *2320 / 2520 / 2720	FAS-N1G	FAH-Z22
JOHN DEERE	**3 FAMILY:** 3032E / 3033R / 3038E / 3039R / 3046R, 4 FAMILY: 4044M / 4044R / 4052M / 4052R / 4066M / 4066R, 5E SERIES: 5045E / 5055E / 5065E / 5075E / 5085E / 5100E, 3000 / 4000 / 5000 SERIES	FAS-N1G	FAH-N32
JOHN DEERE	**E-CUT HYBRID:** 7500 / 8500, **PRECISION CUT FAIRWAY MOWER:** 7700 / 8500	FAS-N1G	FAH-NF23
KIOTI	**CS SERIES:** 2210 / 2410 / 2510, **CK SERIES:** 2510	FAS-N1K	FAH-N22
KIOTI	**CK SERIES:** 2610 / 3510 / 4010, **DK SERIES:** 4510 / 5010 / 5510	FAS-N1K	FAH-N32
KUBOTA	**BX & B SERIES**	FAS-N1K	FAH-N32
LS	**G-SERIES:** 3033 / 3038, **XG-SERIES:** 3025 / 3032 / 3037, **XR-SERIES:** 3037 / 3135 / 4040 / 4046 / 4140 / 4145 / 4150 / 4155, **K-SERIES:** 5047 / 5055, *XJ2025	FAS-N1B*	FAH-N32
MAHINDRA	**1500 SERIES:** 1526 / 1533 / 1538	FAS-N1R*	FAH-N22
MAHINDRA	**eMAX:** 22 / 25, **MAX:** 24 / 26 / 28, *5525 / 6025, *1815 / 2415 / 2815 / 3215, *1816 / 2216 / 2516 / 3316 / 3616, *4500 / 5500 / 6000 / 6500	FAS-N1R*	FAH-N32
MAHINDRA	**3500 SERIES:** 3540 / 3550, **4500 SERIES:** 4025 / 4525 / 4530 / 4540 / 4550 / 4565, *4035 / 5530 / 5545	FAS-N1R*	FAH-N42
MASSEY	**GC1700 SERIES:** 1705 / 1710 / 1715 / 1720, *1010 - 1045	FAS-N1R*	FAH-N22
MASSEY	**1700E SERIES:** 1726E / 1734E / 1739E, *1225-1260, *1417 / 1423 / 1428 / 1429 / 1431 / 1523 / 1526 / 1528 / 1529 / 1531 / 1532	FAS-N1R*	FAH-N32
MASSEY	**2600 SERIES:** 2605 / 2615 / 2635, **2600H SERIES:** 2604H / 2605H / 2606H / 2607H	FAS-N1R*	FAH-N52
MASSEY	**1500 SERIES:** 1526, 1532	FAS-N1R*	FAH-Z32
NEW HOLLAND	**BOOMER:** 1020 / 1025 / 1030 / 2030 / 2035, *TC18 - TC33, *T1010 - T2220	FAS-N1B*	FAH-N22
NEW HOLLAND	**BOOMER:** 20 - 50, **WORKMASTER:** 35 / 40, *TC35 - TC55, *TZ18 - TZ25	FAS-N1B*	FAH-N32
YANMAR	**SA SERIES** 221 / 324 / 424, *SX3100	FAS-N1BLK	FAH-N22
YANMAR	**EX SERIES** 3200, **LX SERIES** 410 / 450 / 490 / 4100 / 4500 / 4900, **SX SERIES** 3100	FAS-N1BLK	FAH-N32

**Also available in White FAS-N1W*

SUNSHADE: N2

Utility Tractors

SUNSHADE DIMENSIONS	WEIGHT	EFFECTIVE COVERAGE	ROPS APPLICATION
52” W x 66” L	30 LBS	30 SF	Fits ROPS 35” - 48” Width

APPLICATION GUIDE

BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
CASE IH	**FARMALL:** 45A / 50A / 55A / 60A / 65A / 70A / 75A, **FARMALL:** 65C / 75C / 85C / 95C / 105C / 115C, **FARMALL:** 60 / 70 / 80 / 90 / 95, **FARMALL:** 85U, *JX1060C - JX1075C	FAS-N2CR*	FAH-N35
CASE IH	**FARMALL:** 95U / 105C / 105U / 110A / 120A / 125A / 140A, *JX55 - JX95, *JX1080U - JX1100U	FAS-N2CR*	FAH-N52
JOHN DEERE	**6D SERIES:** 6105D / 6115D / 6130D / 6140D, **6000 / 7000 SERIES**	FAS-N2G	FAH-N67
KIOTI	**NX SERIES:** 4510 / 5010 / 5510 / 6010, **RX SERIES:** 6620 / 7320	FAS-N2K	FAH-N32
KUBOTA	**L & M SERIES**	FAS-N2K	FAH-N32
LS	**XU SERIES** (Please contact Tractor Sunshade)	FAS-N2B*	FAH-X32
LS	**P SERIES** P7040	FAS-N2B*	FAH-N52
MAHINDRA	2555 / 5010 / 5555 / 5565 / 5570	FAS-N2R*	FAH-N42
MAHINDRA	**mPower75, mPower 85, 20 SERIES:** 5520 / 6520 / 7520, *7060 / 8560	FAS-N2R*	FAH-X42
MASSEY	**1700E SERIES: 1726E / 1734E / 1739E, *1533 / 1540 / 1552 / 1560**	FAS-N2R*	FAH-N32
MASSEY	**4600M SERIES:** 4607 / 4608 / 4609 / 4610, *543 / 563 / 573 / 583 / 593 / 596 / 573 / 583 / 593 / 596, *2650 / 2660 / 2670 / 2680, *3625 / 3635 / 3645	FAS-N2R*	FAH-N42
MASSEY	**4700 SERIES:** 4708 / 4709 / 4710, *2616 / 2625 / 2635 / 2636 / 4253	FAS-N2R*	FAH-N52
MASSEY	**1600 SERIES:** 1635 / 1643 / 1648 / 1652 / 1660, **1700 SERIES PREMIUM:** 1736 / 1742 / 1749 / 1754 / 1758 / 1759	FAS-N2R*	FAH-Z32
NEW HOLLAND	TC35 - TC55	FAS-N2B*	FAH-N32
NEW HOLLAND	**WORKMASTER:** 45 - 75, **T4 SERIES:** T4.55 / T4.65 / T4.75 / T4.85 / T4.95, *T4020 - T4050, *TD75 / TC80 / TD95, *TD5010 - TD5050, *TN55 - TN95	FAS-N2B*	FAH-N35
NEW HOLLAND	**TS6 SERIES:** TS6.110 / TS6.120 / TS6.130 / TS6.140, *T5040 - T5070, *TL70 - TL100, *TS6000 - TS6040	FAS-N2B*	FAH-N52

**Also available in White FAS-N2W*

MEDIUM

Non Current Ford & Case IH Tractors

SUNSHADE DIMENSIONS	WEIGHT
54” W x 64” L	41 LBS
EFFECTIVE COVERAGE 31 SF	
ROPS APPLICATION Bolt on style	

LONG

Mid Mounted ROPS

SUNSHADE DIMENSIONS	WEIGHT
47” W x 63” L	32 LBS
EFFECTIVE COVERAGE 25 SF	
ROPS APPLICATION 2” - 2” Mid-Mounted ROPS	

Medium & Long sunshades have wood inserts for added structural support. A one inch rain lip/gutter disperses water away from driver, and drainage holes are in the rear.

APPLICATION GUIDE	BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
	CASE IH	385 / 395 / 485 / 495 / 585 / 595 / 685 / 695 / 885 / 895 / 995 / 3220 / 3230 / 4210 / 4230 / 4240 / 5120 / 5140 / 5220 / 5230 / 5240 / 5250 / C50 / C60 / C70 / C80 / C90 / C100	FAS-MCR	FAH-N8551
	FORD	2810 / 2910 / 3910 / 4610 / 5010 / 5610 / 6610 / 7010 / 7610 / 7710 / 7810 / 8010 / 8210	FAS-MW	FAH-M3H
	FORD	3230 / 3430 / 3930 / 4130 / 4630 / 4635 / 4835 / 5030 / 5635 / 5640 / 5900 / 6635 / 6640 / 7635 / 7740 / 7840 / 8240 / 5610S / 6610S / 7610S / 7810S	FAS-MW	FAH-N52
	JOHN DEERE	**MID MOUNTED 2"x 2" ROPS: 5EN NARROW SERIES:** 5083EN / 5093EN / 5101EN, *5105ML / 5425N / 5525N	FAS-LG	FAH-A22
	KUBOTA	**MID MOUNTED 2"x 2" ROPS:** M40 NARROW: M6040 / M7040 / M8540	FAS-LK	FAH-A22
	NEW HOLLAND	**MID MOUNTED 2"x 2" ROPS:** TS4.105F	FAS-LB	FAH-A22

SUNSHADE: DCGT

SUNSHADE DIMENSIONS	WEIGHT	EFFECTIVE COVERAGE
47” W x 53” L	25 LBS	20 SF

APPLICATION GUIDE			
BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
JOHN DEERE	**GATOR T-SERIES:** TS, TX, TH, TE	FAS-DCGT	FAH-DCGT
JOHN DEERE	**WINDSHIELD KIT**: Gator T-SERIES: TS, TX, TH, TE, (COMPLETE SUNSHADE KIT REQUIRED FOR WINDSHIELD INSTALL)		FAA-DCGTW

SUNSHADE: DCPRO

SUNSHADE DIMENSIONS	WEIGHT	EFFECTIVE COVERAGE
63" W x 54" L	45 LBS	28 SF

APPLICATION GUIDE			
BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
JOHN DEERE	**PROGATOR**	FAS-DCPRO	FAH-DCPRO
JOHN DEERE	**WINSHIELD KIT:** PROGATOR (COMPLETE SUNSHADE KIT REQUIRED FOR WINDSHIELD INSTALL)		FAA-DCPROW

SUNSHADE: DGX13

SUNSHADE DIMENSIONS	WEIGHT	EFFECTIVE COVERAGE
49" W x 55" L	45 LBS	22 SF

APPLICATION GUIDE			
BRAND	APPLICATION	SUNSHADE #	BRACKET & HARDWARE #
JOHN DEERE	**HPX/XUV:** 2006 - 2012	FAS-HPX	FAH-06HPX
JOHN DEERE	**HPX/XUV:** 2013 - Current	FAS-HPX	FAH-DGX13

I.D YOUR SUNSHADE & BRACKET/HARDWARE KIT

STEP 1: Measure Your ROPS *Required: Measuring tape, pen & paper

A. Measure and note your ROPS overall width (outside-to-outside)

B. Measure and note your ROPS tube width and depth



STEP 2: Identify Your Sunshade & Color *Required: ROPS overall width

Use your ROPS overall width obtained from Step 1 Diagram A to determine your bracket/hardware kit:

TRACTOR TYPE	ROPS WIDTH	SUNSHADE
Zero Turn and Commerical Mowers	30" - 40"	Sunshade #FAS-NX
Compact Utility Tractors	30" - 40"	Sunshade #FAS-N1
Utility Tractors	35" - 48"	Sunshade #FAS-N2

Determine the color acronym for your sunshade:

CR	R	K	G	B	W	BLK

** Custom Colors Available Upon Request*

Your full part number will be your sunshade # plus color acronym: ex: FAS-NXBLK

STEP 3: Identify Your Bracket / Hardware Kit *Required: Sunshade Application (STEP 2)

Use your ROPS tube dimension from Step 1 Diagram B to determine your bracket / hardware kit:

NX SUNSHADE SPECIFIC APPLICATIONS
(Uses 40" sunshade tube)

FORWARD LEANING ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	#FAH-Z22S
3" x 2"	#FAH-Z32S

STANDARD VERTICAL ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	FAH-N22S
3" x 2"	FAH-N32S

N1, N2 SUNSHADE SPECIFIC APPLICATIONS
(Uses 48" sunshade tube)

FORWARD LEANING ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	FAH-Z22
3" x 2"	FAH-Z32

STANDARD VERTICAL ROPS	
ROPS A x B	Bracket / Hardware Kit #
2" x 2"	FAH-N22
3" x 2"	FAH-N32
3.5" x 2"	FAH-N35
4" x 2"	FAH-N42
5" x 2"	FAH-N52

STEP 4: Order!

NOTES

TRACTOR SUNSHADE

Call your Tractor Sunshade representative or visit our website for assistance or additional applications!

www.tractorsunshade.com
623.934.9340

TRACTOR SUNSHADE

DISTRIBUTOR TERRITORIES



J.S. Woodhouse Co.

Pennsylvania
New York
Washington DC
Delaware
New Hampshire
Massachusetts
Connecticut
Rhode Island
Maine
Maryland
West Virginia
New Jersey
Vermont

413.736.5462
info@jswoodhouse.com
www.jswoodhouse.com

Robert Laning & Sons

Canada

1.800.461.9691
Brian@laning.ca
www.laning.ca

Shortline Sales

Tennessee
Mississippi
Missouri
Arkansas
Louisiana
North Alabama
Western Kentucky
Southern Missouri

1.800.238.2570
Mail@shortlinesales.com

Tri-State Distributors

Virginia
N. Carolina
S. Carolina

704.873.0531
info@tristatedistributors.net
www.tristatedistributors.net

Wiedmann Bros.

California
Oregon
Washington St
Hawaii

877.934.2444
sales@wiedmannbros.com
www.wiedmannbros.com

Tractor Sunshade

All Other U.S Territories

623.934.9340
info@tractorsunshade.com
www.tractorsunshade.com